

Office and Showroom: 15 Dawson St, Coburg North Vic 3058 (Near to Bunnings) T:03 93558806 F: 03 93505568 Email: Sales@ElectricalSourcing.com.au

Since 2009


Model No	Description		
LED Deco	rative Box Light o	or Grid Light	
LDA-105WHT		5W LED COB Non Dimmable Grid Light in White Trim	380lm Warm 3000K Size: 98(w) x 98 (l) x100(d) mm Cut out: 75mm x 75mm
LDA-105BLK	G	5W LED COB Non Dimmable Grid Light in White Trim	380lm Warm 3000K Size: 98(w) x 98 (l) x100(d) mm Cut out: 75mm x 75mm
LDA-205BLK	0 G	2x5W LED COB Non Dimmable Grid Light in White Trim	2x380lm Warm 3000K Size: 160(w) x 98 (l) x100(d) mm Cut out: 143mm x 75mm
LDA-305WHT	OOC	3x5W LED COB Non Dimmable Grid Light in White Trim	3x380lm Warm 3000K Size: 230(w) x 98 (l) x100(d) mm Cut out: 207mm x 75mm
LDA110-K82		10W Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 800lm Size: 110x110x110(h)mm Cut out size: 100x100mm
LDA120-K82	DO	2x10W Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 1600lm IP23 Size: 200X110x110(h)mm Cut out size: 180x100mm
LDA-112		1x12W LED COB Dimmable Adjustable Grid Light in White Trim. Beam Angle: 60°	960lm Warm 3000K Size: 145(w) x 145 (l) x122(d) mm Cut out: 125mm x 125mm
LDA-212		2x12W LED COB Dimmable Adjustable Grid Light in White Trim. Beam Angle: 60°	Warm 3000K 2x 960lm Size: 278(w) x 145 (l) x122(d) mm Cut out: 260mm x 125mm
LDA-312		3x12W LED COB Dimmable Adjustable Grid Light in White Trim. Beam Angle: 60°	Warm 3000K 3x 960lm Size: 360(w) x 145 (l) x122(d) mm Cut out: 330mm x 125mm
LDA-120		1x20W LED COB Box Light in White. Optional Black Trim Beam Angle: 60°	Warm 3000K 1600lm Size: 192(w) x 192 (l) x170(d) mm Cut out: 160mm x 160mm
LDA-220		2x20W LED COB Box Light in White. Optional Black Trim Beam Angle: 60 [°]	Warm 3000K 2x1600lm Size: 342(w) x 192 (l) x170(d) mm Cut out: 315mm x 160mm
LDA-320		3x20W LED COB Box Light in White. Optional Black Trim Beam Angle: 60°	Warm 3000K 3x1600lm Size: 485(w) x 192 (l) x170(d) mm Cut out: 465mm x 160mm
LDA-130	Normal Street St	1x30W LED COB Box Light in Black / White Trim. Beam Angle 24 or 45 Degree. UGR<19	2700lm Warm 3000K Size: 170(w) x 170 (l) x100(h) mm Cut out: 150mm x 150mm
LDA-130		1x30W LED COB Box Light in Black / White Trim. Beam Angle 24 or 45 Degree. UGR<19	2x2700lm Warm 3000K Size: 340(w) x 170 (l) x100(h) mm Cut out: 300mm x 150mm
Optional 3x30W and 4x30W		3x30W 3x2700lm	4x30W 4x2700lm

Model No	Description		
LED Tr	imless Series -	2 Years Warranty	by Cleanwatt
LTDL10-S3010	Trimless Fixed	10W COB Trimless Deep Recessed Round Downlight -Dimmable	38° Degree Beam 3000k size:120x120 x 68(h)mm Cut Out: 90mm 900 Im
LTDL10-S3011	Trimless Adjustable	10W COB Trimless Deep Recessed Adjustable Round Downlight -Dimmable	20 20 20 20 20 20 20 20 20 20 20 20 20 2
LD15D-RA2	Semi-Trimless	15W LED COB Semi Trimless Adjustable Dimmable Downlight with 55 Degree Beam (3000K/4000K/6000K) 1350Im	Size: 102(dia) x 88(h) mm Cut out: 98mm
LD15D-RF2G	Semi-Trimless	15W LED COB Semi Trimless Fixed Dimmable Downlight with 55 Degree Beam (3000K/4000K/6000K) 1350Im	Size: 105(w)x105 (l)x107(h) mm Cut out: 95mmx95mm
LTDL-110-K85	Trimless	10W Trimless Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 700lm Size:103x103x105mm Cut Out: 100x100mm
LTDL-210-K86	Trimless	2x10W Trimless Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 1400lm Size:103x192x105mm Cut Out: 100x188mm
LDT107-B013	Trimless	5W LED COB Trimless Dimmable Downlight with 35 Degree Beam 400Im	Recessed Fixed Downlight Size: 102(w x I) x96(h) mm
LDT107-B014	Trimless	2x5W LED COB Trimless Dimmable Downlight with 35 Degree Beam 2x400lm	Recessed Fixed Downlight Size: 102(w)x 201(l) x96(h) mm
LDT107-B015	Trimless	3x5W LED COB Trimless Dimmable Downlight with 35 Degree Beam 3x400lm	Recessed Fixed Downlight Size: 102(w)x 301(l) x96(h) mm
LTG30D-B357	Trimless	30W LED COB Downlight with 36 / 60 Degree Beam 2700lm	Cut out:: 186mmx195mm
LTG2x30D-B358	Trimless	2x30W LED COB Downlight with 36 / 60 Degree Beam 2x 2700lm	B Cut out:: 358mmx195mm

Model No	Description		
LED Arc	chitecture Downlig	ght by Cleanwatt	
LADL-4A008		5W LED COB Adjustable Non Glare Round Downlight. Narrow Beam 24Degree. 480lm (For 8W Non Dim, additional \$3.0+, 8W Dim - +\$5.0+)	Narrow Beam Downlight Size: 95(dia)x108(h) mm Cut out: 83mm
LADL-4A002		5W LED COB Adjustable Non Glare Square Downlight. Narrow Beam 24Degree. 480lm (For 8W Non Dim, additional \$3.0+, 8W Dim - +\$5.0+)	Narrow Beam Downlight Size: 95x95 mm Cut out: 83mm
LADL-4A039		5W LED COB Adjustable Non Glare Round Downlight. Narrow Beam 45Degree. 480lm. (For 8W Non Dim, additional \$3.0+, 8W Dim - +\$5.0+)	Adjustable Downlight Size: 95(dia)x108(h) mm Cut out: 83mm
LADL-4A005		5W LED COB Adjustable Non Glare Square Downlight. Narrow Beam 45 Degree. 480lm. (For 8W Non Dim, additional \$3.0+, 8W Dim - +\$5.0+)	Adjustable Downlight Size: 95x95 mm Cut out: 83mm
LD15D-RA1-70	······································	15W LED COB Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm	Size: 90(dia)x95(h) mm Cut out: 70mm
LD15D-RF8-70		15W LED COB Fixed Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350Im	Size: 85(dia)x1005(h) mm Cut out: 70mm
LD15D-RA6		15W LED COB Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm	Size: 105(dia)x115(h) mm Cut out: 90mm
LD15D-RA2		15W LED COB Semi Trimless Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm	White Trim / Black Trim Size: 102(dia) x 88(h) mm Cut out: 98mm
LD15D-RF2G		15W LED COB Semi Trimless Fixed Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm	White / Gold Reflector Size: 100(dia)x112(h) mm Cut out: 90mm
LD15D-RF6		15W LED COB Fixed Color Ring Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350Im	Transparent Ring Size: 100(dia)x112(h) mm Cut out: 90mm
LD15D-RF6 (please mention the Ring Color)		15W LED COB Fixed Color Ring Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm	Blue Ring / Red Ring Size: 100(dia)x112(h) mm Cut out: 90mm
LD15D-RF10	ario de la companya	15W LED COB Fixed Tilt Dimmable Downlight with 55 [°] Beam (3000K/4000K/6000K) 1350lm	White Trim / Black Trim Size: 95(dia)x120(h) mm Cut out: 85-90mm
LD15D-RF2G		15W LED COB Double Layer Fixed Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350Im	Size: 105(dia)x115(h) mm Cut out: 90mm
LD15D-RF7		15W LED COB Fixed Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350Im	White Trim / Black Trim Size: 110(dia)x90(h) mm Cut out: 90mm
LD15D-SQ4	SQ4-BG	15W LED COB Square Fixed Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm	Size: 112(w)x112 (l)x120(h) mm Cut out: 90mm (dia)
LD15D-SQ7		15W LED COB Fixed Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm	Size: 110(w)x110 (l)x90(h) mm Cut out: 90mm(dia)

Model No	Description		
LD15D-SQ1		1x15W LED COB Square Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm	Size: 100(w)x100 (l)x115(h) mm Cut out: 90mmx90mm
LD15D2-SQ2		2x15W LED COB Square Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm	Size: 185(w)x100 (l)x115(h) mm Cut out: 95mmx95mm
LD15D3-SQ3		3x15W LED COB Square Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm	Size: 275(w)x100 (l)x115(h) mm Cut out: 95mmx95mm
	Optional with Honcy Comb Diffuser	** Optional ** 15W LED COB with Honey Comb Reflector	
LADL-4A149		7W LED COB Adjustable Non Glare Downlight 650lm	Adjustable Downlight Size: 130x85 mm Cut out: 120x72mm
LADL12-9032	EO ,	12W LED CREE COB Downlight 36degree beam with OPTIONAL Honey Comb Diffuser 960lm	Opposite with WinceyCamb Gimble Downlight Diffuser Size: 100(l) x 77(h) mm Cut out: 90mm
LADL12-12042	-	12W LED CREE COB Downlight 36degree beam with OPTIONAL Honey Comb Diffuser 960lm	Operative Gimble Downlight WarcyComb Size: 100(l) x 100(h) mm Diffusor Cut out: 90mm
LADL30-180		30W LED COB Downlight 36º beam IP54 2700lm	Warm White Size: 123(dia) x 64(h) mm Cut out: 114mm
LADL110-K95	O	10W Deep Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 700lm Size:102x102x85mm Cut Out: 82mm
LADL210-K96	00	2x10W Deep Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 1400lm Size:102x202x85mm Cut Out: 82x185mm
LADL210-K97		2x10W Deep Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 1400lm Size:102x202x85mm Cut Out: 82x185mm
LADL120-S3005		10W Semi Recessed Low Glare Fixed LED downlight with PC reflector and clear diffuser	3000K 800lm IP44 size:70(dia) x 110(h)mm Cut out:68mm
LADL120-S3006		10W Semi Recessed Low Glare Fixed LED downlight with PC reflector and clear diffuser	3000K 800lm IP44 size:100x100 x 60(h)mm Cut out: 68mm
LADL120-S3007		2x10W Semi Recessed Low Glare Fixed LED downlight with PC reflector and clear diffuser	3000K 1600lm IP44 size:100(dia) x 200(h)mm Aluminum body and heatsink Colours: White,black, brass
LED Arc	hitecture Downlig	ht by Cleanwatt	
LNAG-9135-18		18W LED COB Turnable Downlight 36° Beam with heat guard	1440lm / Size: 155(dia) x 148 (h) mm Cut Out: 145mm (dia)
LNAG-9137-26		26W LED COB Turnable Downlight 36° with heat guard	2080lm / Size: 175(dia) x 164 (h) mm Cut Out: 165mm (dia)
LNAG-9139-40	359° Turn	40W LED COB Turnable Downlight 36° with heat guard	3200lm / Size: 195(dia) x 170 (h) mm Cut Out: 185mm (dia)

Model No	Description		
LED Mini Do	ownlight		
LCL-S3A		3W Recessed mounted cabinet/display light with LED Driver3000K / 5000K	240V AC IP20 in White Size: 52 (Dia) x22 (h) mm Cut Out: 42mm(dia)
LCL-S3B		3W Recessed mounted cabinet/display light with LED Driver3000K / 5000K (Square White / Silver Round Trim)	12V DC IP20 in White Size: 52 (Dia) x22 (h) mm Cut Out: 42mm(dia)
LCL-V0674	VEL	2x2.1W Recessed mounted downlight (excluding 6V 700mA LED Driver) 3000K	IP20 in White Beam Angle 15° Size: 92(I)x71(w)x 58 (h) mm Cut Out: 58x38mm
LCL-V0665	VEL	5x2.1W Recessed mounted downlight (excluding 15V 700mA LED Driver) 3000K	IP20 in White Beam Angle 15° Size: 140(I)x47(w)x 65 (h) mm Cut Out: 128x38mm
LCL-V0681	VEL	21W Recessed mounted Wall Washer Downlight (excluding 30V 700mA LED Driver) 3000K	IP20 in White Size: 255(l)x42(w)x 65 (h) mm Cut Out: 248x38mm
LCL-VST3-FR	Ø	1.5W 12V Recessed mounted cabinet/display light (excluding LED Driver) 3000K	IP43 in White / Black / Silver Size: 40 (Dia) x 17 (h) mm Cut Out: 35mm(dia)
LCL-2319	\bigcirc	4W 12V Disc type surface mounted cabinet/display light (excluding LED Driver)	IP43 in White Size: 95 (Dia) x 12 (h)mm
5W LED Driver	12V DC 5W with DC adaptor		
Surface Mo	ounted Downlight	and Pendant Light with	2 Years Warranty
LSDL1-15S		15W LED COB Adjustable Surface Down Light in Silver	60 ⁰ Beam Angle. 1200lm Warm 3000K Size: 168(Dia)x120(w) x 196(h)mm
LSDL1-15C		15W LED COB Adjustable Surface Down Light in Copper Chrome	60 ⁰ Beam Angle. 1200lm Warm 3000K Size: 168(Dia)x120(w) x 196(h)mm
LSDL1-15B		15W LED COB Adjustable Surface Down Light in Black	60 ⁰ Beam Angle. 1200lm Warm 3000K Size: 168(Dia)x120(w) x 196(h)mm
LSDL5-G2541		5.5W LED Surface Down Light in White+Gold or Black+Gold Finish 3000K Only	500lm / 45 ⁰ Beam Angle. Size: 75(Dia)x150(h)mm
LSDL5-G5871		5.5W LED Surface Down Light in Black Finish 3000K Only	500lm / 45 ⁰ Beam Angle. Size: 96x96x125(h)mm
LSDL5-G5872		2x5.5W LED Surface Down Light in Black Finish 3000K Only	2x500lm / 45 ⁰ Beam Angle. Size: 192x96x125(h)mm
LSDL10-2609		10W LED COB Surface Down Light in White Fitting 3000K Only	900lm / 450 ⁰ Beam Angle. Size: 80(Dia)x125(h)mm
LSDL20-2610		20W LED COB Surface Down Light in White Fitting 3000K / 5000K	1800lm / 45 ⁰ Beam Angle. Size: 110(Dia)x160(h)mm
LSDL3-12	6	12W LED COB Surface Down Light Optional Pendant Mounted	960lm / 100 ⁰ Beam Angle Size: 110(Dia)x90(h)mm
LSDL13-CL		13W LED COB Surface Down Light in White/Black Fitting . Dimmable P65 3000K / 5000K	900lm / 45 ⁰ Beam Angle. Size: 105(Dia)x146(h)mm
LSDL3-PEN-ACC		Pendant 1meter wire for 12W LED Surface Do	own Light
LTRK-X120-F&P	• J	20W LED Surface Mounted Directional Light complete with Flex and Plug.	45 ⁰ Beam Angle. 1600lm Size : 235 (Tall)x 170 (W) x 171(d) mm



Model No	Description		
Surface Mo	unted Downlight a	nd Pendant Light with	2 Years Warranty
LPEN-CLZARA1 Wooden or Silver		6W LED Filament Modern Pendant Downlight in Polished Nickel (Optional 11W LED Bulb)	540lm Warm 3000K Size: 160(dia) x353(h)mm with 1.0mtr pendant wire
LPEN-CLZARA2 Wooden		6W LED Filament Modern Pendant Downlight in Polished Nickel (Optional 11W LED Bulb)	540lm Warm 3000K Size: 390(dia) x383(h)mm with 1.0mtr pendant wire 1441 1000
LPEN-CLZARA2 Silver		6W LED Filament Modern Pendant Downlight in Polished Nickel (Optional 11W LED Bulb)	540lm Warm 3000K Size: 390(dia) x383(h)mm with 1.0mtr pendant wire
LPEN-CLPEN		6W LED Filament Modern Pendant Downlight in Polished Nickel (Optional 11W LED Bulb)	540lm Warm 3000K Size: 45(dia) x95(h)mm with 2.0mtr pendant wire
LPEN-TOMD-CP1		9W LED Filament Modern Tom Dixon Copper Brass Replica Pendant Downlight in Polished Nickel (Optional 12W LED Bulb)	750Im Warm 3000K Size: 200(dia) x200(h)mm with 1.2mtr pendant wire
LPEN-TOMD-L		9W LED Filament Modern Tom Dixon Leena Replica Pendant Downlight in Polished Nickel (Optional 12W LED Bulb)	750Im Warm 3000K Size: 120(dia) x500(h)mm with 1.2mtr pendant wire
LPEN-TRUNK-36A	Seamless Jointing and Internal Driver Compartment	36W Pendant Linear Trunk Light with external driver - Black or Silver (optional adjustable rod hanger)	3240lm 4000K / 6000K Size:1500(l)x60(w)x85(h)mm

Model No	Description		
Carbon Fi	lament Decorative La	amps - 1 Year Warranty	by Cleanwatt
CF-034-40		40W Carbon Filament Cler Glass Pendant in E27 Lamp Holder	600lm Warm 3000K Size: 240(dia) x350(h)mm with 1mtr pendant wire
CF-037-40		40W Carbon Filament Cler Glass Pendant in E27 Lamp Holder	600lm Warm 3000K Size: 270(dia) x240(h)mm with 1mtr pendant wire
CF-038-40		5pcs 40W Carbon Filament Cler Glass Pendant in E27 Lamp Holder (Optional to use 60W lamp)	5x 600lm Warm 3000K Size: 60mm Dia x 5pcs with 1mtr pendant wire
CF-ST045-40		40W Carbon Filament Cler Glass Pendant in E27 Lamp Holder (Optional to use 60W lamp)	600lm Warm 3000K Size: 180mm Dia x 250(d) mm
Carbon Fila	ament Decorative Lar	nps - 1 Year Warranty	by Cleanwatt
CF-LH-Copper		Pendant Type: E27 Lamp Holder with On/Off Switch Copper Antique Color	With 1.2 Meter Pendant Wire
CF-LH-Silver		Pendant Type: E27 Lamp Holder with On/Off Switch in Silver Color	With 1.2 Meter Pendant Wire
CF-LH-Black		Pendant Type: E27 Lamp Holder with On/Off Switch in Black Color	With 1.2 Meter Pendant Wire
CF-A68-SPR	() () ()	40W Carbon Filament Dimmable Lamp in E27 Base	Size: 68(dia)x126(h)mm
CF-A80-SPR	*	40W Carbon Filament Dimmable Lamp in E27 & B22 Base	Size: 80(dia)x118(h)mm
CF-A125-ST		60W Carbon Filament Dimmable Lamp in E27 & B22 Base	Size: 125(dia)x170(h)mm
CF-T6-ST		40W Carbon Filament Dimmable Lamp in E27 Base	Size: 28(dia)x185(h)mm
LED Wall Li	ght (Indoor)		
LWL3A068		2x4WLED Up/Down Wall Light in Square White	2x 320lm / Warm 3000K Size: 210(l) x 103(w) x68(h)mm
LWL3A071		6.5WSMD LED Wall Light in Stainless Steel 304 Brush Finished	420lm / Warm 3000k Size: 310(l) x 26(d) x 90(h) mm
LWL3A072		6.5WSMD LED Wall Light in White	420lm / Warm 3000k Size: 300(l) x 26(w) x 50(h) mm
LWL2295		18W Wall Light in Zinc Alloy White (PLC Lamp)	560lm /Warm 3000k Size: 210(w) x 100(d) x 45(h) mm
LWL3147			7W LED Wall Light in Zinc Alloy White / Black 560lm / Warm 3000k Size: 380(w) x 100(d) x 140(h) mm
LWL145M		2x7W LED Wall Light in Zinc Alloy White	2x560lm / Warm 3000k Size: 280(w) x 120(d) x 250(h) mm

Model No	Description		
LWL3A073		3.6W LED Wall Light in White IP44	250lm / Warm 3000k Size: 32(w) x 40(d) x 425(h) mm
LADL-4A149		Indirect Non Glare Wall Light 7W LED COB AdjustableWall Light 650Im	Adjustable Downlight Size: 130x85 mm Cut out: 120x72mm
LWL-4A02-BIK or WHT		2x3W LED Wall Light in Zinc Alloy Black or White	Warm 3000k Size: 120x120x100(d) mm
CF-ST045-LED		6W LED Candle Light Clear Glass Pendant in E27 Lamp Holder	400lm Warm 3000K Size: 180mm Dia x 250(d) mm
LED Mirror V	Vall Light		
LWL-M0763-1A		8W LED Mirror Light in Silver color 3000K	Wall Mounted in Silver Size: 600(w) x 270(h) x 175(d) mm
LED Step Liç	ght (Indoor)		
LW4-C1		4W LED Wall Light in White with LED Driver 4000K	Wall Mounted in White Size: 90(w) x 90 (l) x 20(h) mm Cut out: 75x75mm
LW4-RND-C3K LW4-RND-C5K	· O·	4W Round Panel light with LED Driver 3000K / 5000K	Wall mounted Panel light in white Size: 110 (dia)x 20mm (h) Cutout: 90mm
LW6-B064	68	2x3W LED Wall Light using white finised (with LED Driver) 3000K	Wall Mounted in White Color Size: 99(dia) x 30(d) mm, Cut out: 85mm (dia)