

















































Model No	Description		
LED Decorative Box Light or Grid Light			
LDA110-K82		10W Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 800lm Size: 110x110x110(h)mm Cut out size: 100x100mm
LDA120-K82		2x10W Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 1600lm IP23 Size: 200X110x110(h)mm Cut out size: 180x100mm
LDA-112	 3000K	1x12W LED COB Dimmable Adjustable Grid Light in White Trim. Beam Angle: 60°	Warm 3000K 960lm Size: 145(w) x 145 (l) x122(d) mm Cut out: 125mm x 125mm
LDA-212		2x12W LED COB Dimmable Adjustable Grid Light in White Trim. Beam Angle: 60°	Warm 3000K 2x 960lm Size: 278(w) x 145 (l) x122(d) mm Cut out: 260mm x 125mm
LDA-312		3x12W LED COB Dimmable Adjustable Grid Light in White Trim. Beam Angle: 60°	Warm 3000K 3x 960lm Size: 360(w) x 145 (l) x122(d) mm Cut out: 330mm x 125mm
LDA-120		1x20W LED COB Box Light in White. Optional Black Trim Beam Angle: 60°	Warm 3000K 1600lm Size: 192(w) x 192 (l) x170(d) mm Cut out: 160mm x 160mm
LDA-220		2x20W LED COB Box Light in White. Optional Black Trim Beam Angle: 60°	Warm 3000K 2x1600lm Size: 342(w) x 192 (l) x170(d) mm Cut out: 315mm x 160mm
LDA-320		3x20W LED COB Box Light in White. Optional Black Trim Beam Angle: 60°	Warm 3000K 3x1600lm Size: 485(w) x 192 (l) x170(d) mm Cut out: 465mm x 160mm


Model No	Description		
LED Trimless Series - 2 Years Warranty <i>by</i> Cleanwatt			
LTDL10-S3010	<p style="text-align: center;">Trimless Fixed</p> 	10W COB Trimless Deep Recessed Round Downlight -Dimmable	<p>38° Degree Beam 3000k size:120x120 x 68(h)mm Cut Out: 90mm 900 lm</p> 
LTDL10-S3011	<p style="text-align: center;">Trimless Adjustable</p> 	10W COB Trimless Deep Recessed Adjustable Round Downlight -Dimmable	
LTDL-110-K85	<p style="text-align: center;">Trimless</p> 	10W Trimless Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	<p>3000K 700lm Size:103x103x105mm Cut Out: 100x100mm</p>
LTDL-210-K86	<p style="text-align: center;">Trimless</p> 	2x10W Trimless Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	<p>3000K 1400lm Size:103x192x105mm Cut Out: 100x188mm</p>
LD15D-RA2	<p style="text-align: center;">LD15D-RA2</p> 	15W LED COB Semi Trimless Adjustable Dimmable Downlight with 45° Beam (3000K/4000K/6000K) 1350lm	<p>Size: 102(dia) x 88(h) mm Cut out: 98mm</p> 
LD15D-RF2G	<p style="text-align: center;">LD15D-RF2</p> 	15W LED COB Semi Trimless Fixed Dimmable Downlight with 45° Beam (3000K/4000K/6000K) 1350lm	<p>Size: 105(w)x105 (l)x107(h) mm Cut out: 95mmx95mm</p> 
LDT107-B013	<p style="text-align: center;">Trimless</p> 	5W LED COB Trimless Dimmable Downlight with 35 Degree Beam 400lm	<p>Recessed Fixed Downlight Size: 102(w x l) x96(h) mm</p>
LDT107-B014	<p style="text-align: center;">Trimless</p> 	2x5W LED COB Trimless Dimmable Downlight with 35 Degree Beam 2x400lm	<p>Recessed Fixed Downlight Size: 102(w)x 201(l) x96(h) mm</p>

Model No	Description		
LDT107-B015	<p>Trimless</p> 	3x5W LED COB Trimless Dimmable Downlight with 35 Degree Beam 3x400lm	Recessed Fixed Downlight Size: 102(w)x 301(l) x96(h) mm
LTG30D-B357	<p>Trimless</p> 	30W LED COB Downlight with 36 / 60 Degree Beam 2700lm	 <p>Cut out: 186mmx195mm</p>
LTG2x30D-B358	<p>Trimless</p> 	2x30W LED COB Downlight with 36 / 60 Degree Beam 2x 2700lm	 <p>Cut out: 358mmx195mm</p>
LED Architecture Downlight by Cleanwatt			
LADL-4A008		5W LED COB Adjustable Non Glare Round Downlight. Narrow Beam 24Degree. 480lm (For 8W Non Dim, additional \$3.0+, 8W Dim - +\$5.0+)	<p>LADL-4A008</p>  <p>Narrow Beam Downlight Size: 95(dia)x108(h) mm Cut out: 83mm</p>
LADL-4A002		5W LED COB Adjustable Non Glare Round Downlight. Narrow Beam 24Degree. 480lm (For 8W Non Dim, additional \$3.0+, 8W Dim - +\$5.0+)	<p>LADL-4A002</p>  <p>Narrow Beam Downlight Size: 95(dia)x108(h) mm Cut out: 83mm</p>
LADL-4A039		5W LED COB Adjustable Non Glare Round Downlight. Narrow Beam 24Degree. 480lm (For 8W Non Dim, additional \$3.0+, 8W Dim - +\$5.0+)	<p>LADL-4A039</p>  <p>Narrow Beam Downlight Size: 95(dia)x108(h) mm Cut out: 83mm</p>
LADL-4A005		5W LED COB Adjustable Non Glare Round Downlight. Narrow Beam 24Degree. 480lm (For 8W Non Dim, additional \$3.0+, 8W Dim - +\$5.0+)	<p>LADL-4A005</p>  <p>Narrow Beam Downlight Size: 95(dia)x108(h) mm Cut out: 83mm</p>
LD15D-RA1-70	<p>LD15D-RA1-70mm</p> 	12W LED COB 3CCT Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm Size: 90(dia)x105(h) mm Cut out: 70mm	Size: 90(dia)x95(h) mm Cut out: 70mm



Model No	Description		
LD15D-RF8-70	<p>LD15D-RF8-70mm</p> 	<p>12W LED COB 3CCT Fixed Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm Size: 85(dia)x105(h) mm Cut out: 70mm</p>	<p>Size: 85(dia)x1005(h) mm Cut out: 70mm</p>
LD15D-RA2		<p>12W LED COB 3CCT Semi Trimless Fix or Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm Size: 102(dia) x 100(h) mm Cut out: 90mm</p>	<p>White Trim Size: 102(dia) x 100(h) mm Cut out: 98mm</p>
LD15D-RA2		<p>12W LED COB 3CCT Semi Trimless Fix or Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm Size: 102(dia) x 100(h) mm Cut out: 90mm</p>	<p>White Trim / Black Trim (Add\$2.0+) Size: 102(dia) x 100(h) mm Cut out: 98mm</p>
LD15D-RA6	<p>LD15D-RA6</p> 	<p>12W LED COB 3CCT Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm (B2R1-64-00) Size: 1052(dia) x 100(h) mm Cut out: 90mm</p>	<p>Size: 105(dia)x100(h) mm Cut out: 90mm</p>
LD15D-RF2		<p>12W LED COB 3CCT Semi Trimless Fixed Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm</p>	<p>White / Gold Reflector (Add \$3.0) Size: 100(dia)x112(h) mm Cut out: 90mm</p>
LD15D-RF2GOLD		<p>12W LED COB 3CCT Semi Trimless Fixed Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm</p>	<p>Gold White / Gold Black Size: 100(dia)x112(h) mm Cut out: 90mm</p>
LD15D-RA8	<p>LD15D-RA8</p> 	<p>12W LED COB 3CCT Semi Trimless Adjustable Dimmable Downlight with 30° Beam (3000K/4000K/6000K) 1350lm</p>	<p>White Trim / Black Trim (Add\$2.0+) Size: 102(dia) x 88(h) mm Cut out: 98mm</p>
LD15D-RF6	<p>LD15D-RF6</p> 	<p>12W LED COB 3CCT Fixed Color Ring Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm Size: 100(dia)x112(h) mm Cut out: 90mm</p>	<p>Transparent Ring Size: 100(dia)x112(h) mm Cut out: 90mm</p>

Model No	Description		
LD15D-RF6 (please mention the Ring Color)	<p>LD15D-RF6</p> 	<p>15W LED COB Fixed Color Ring Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm Size: 100(dia)x112(h) mm Cut out: 90mm</p>	<p>Blue Ring / Red Ring Size: 100(dia)x112(h) mm Cut out: 90mm</p>
LD15D-RF10	<p>LD15D-RF10</p> 	<p>15W LED COB Fixed Tilt Dimmable Downlight with 55° Beam (3000K/4000K/6000K) 1350lm Size: 95(dia)x120(h) mm Cut out: 85-90mm</p>	<p>White Trim / Black Trim Size: 95(dia)x120(h) mm Cut out: 85-90mm</p>
LD15D-RF10 (ORDER)		<p>15W LED COB Fixed Tilt Dimmable Downlight with 55° Beam (3000K/4000K/6000K) Size: 95(dia)x120(h) mm Cut out: 85-90mm</p>	<p>White Trim / Black Trim Size: 95(dia)x120(h) mm Cut out: 85-90mm</p>
LD15D-RF2G		<p>12W LED COB 3CCT Double Layer Fixed Dimmable Downlight with 55° Beam (3000K/4000K/6000K) Size: 105(dia)x115(h) mm Cut out: 90mm</p>	<p>Size: 105(dia)x115(h) mm Cut out: 90mm</p>
LD15D-RF7	<p>LD15D-RF7</p> 	<p>12W LED COB 3CCT Fixed Dimmable Downlight with 55° Beam (3000K/4000K/6000K) Size: 110(dia)x90(h) mm Cut out: 90mm</p>	<p>White Trim / Black Trim Size: 110(dia)x90(h) mm Cut out: 90mm</p>
LD15D-SQ4		<p>12W LED COB 3CCT Square Fixed Dimmable Downlight with 45° Beam (3000K/4000K/6000K) Size: 112(w)x112 (l)x120(h) mm Cut out: 90mm (dia)</p>	<p>White Trim/Black+Gold Trim(Add \$5+) Size: 112(w)x112 (l)x120(h) mm Cut out: 90mm (dia)</p>
LD15D-SQ7		<p>12W LED COB 3CCT Semi Trimless Adjustable Dimmable Downlight with 45° Beam (3000K/4000K/6000K) 1350lm</p>	<p>White Trim/Black or Silver Trim(Add \$5+) Size: 110(w)x110 (l)x90(h) mm Cut out: 90mm(dia)</p>
LD15D-SQ1		<p>1x12W LED COB 3CCT Square Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) Size: 100(w)x100 (l)x115(h) mm Cut out: 90mmx90mm</p>	<p>Size: 100(w)x100 (l)x115(h) mm Cut out: 90mmx90mm</p>
LD15D2-SQ2		<p>2x12W LED COB CCT Square Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) Size: 185(w)x100 (l)x115(h) mm Cut out: 95mmx95mm</p>	<p>Size: 185(w)x100 (l)x115(h) mm Cut out: 95mmx95mm</p>










Model No	Description		
LD15D3-SQ3		3x12W LED COB CCT Square Adjustable Dimmable Downlight with 55° Beam (3000K/4000K/6000K) Size: 275(w)x100 (l)x115(h) mm Cut out: 95mmx95mm	Size: 275(w)x100 (l)x115(h) mm Cut out: 95mmx95mm
LD12D-3CCT Module		12W 3CCT LED COB+LED Dim Driver in 3000K/4000K/6000K 1080lm	
LD15D-Module		15W LED COB +LED Dim Driver in 3000K/4000K/6000K 1350lm	
LD15D-Module HC	 	** Optional ** 15W LED COB+LED Dim Driver with Honey Comb Reflector	
LADL-4A149		7W LED COB Adjustable Non Glare Downlight 650lm	 Adjustable Downlight Size: 130x85 mm Cut out: 120x72mm
LADL12-9032		12W LED CREE COB Downlight 36degree beam with OPTIONAL Honey Comb Diffuser 960lm	 Gimble Downlight Size: 100(l) x 77(h) mm Cut out: 90mm
LADL12-12042		12W LED CREE COB Downlight 36degree beam with OPTIONAL Honey Comb Diffuser 960lm	 Gimble Downlight Size: 100(l) x 100(h) mm Cut out: 90mm
LADL30-180		30W LED COB Downlight 36° beam IP54 2700lm	Warm White Size: 123(dia) x 64(h) mm Cut out: 114mm
LADL110-K95		10W Deep Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 700lm Size:102x102x85mm Cut Out: 82mm
LADL210-K96		2x10W Deep Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 1400lm Size:102x202x85mm Cut Out: 82x185mm
LADL210-K97		2x10W Deep Recessed Low Glare Gimble LED Downlight Dimmable with PMMA Lens. Beam Angle: 24° / 60°	3000K 1400lm Size:102x202x85mm Cut Out: 82x185mm
LADL120-S3005	 	10W Semi Recessed Low Glare Fixed LED downlight with PC reflector and clear diffuser	3000K 800lm IP44 size:70(dia) x 110(h)mm Cut out:68mm 
LADL120-S3006		10W Semi Recessed Low Glare Fixed LED downlight with PC reflector and clear diffuser	3000K 800lm IP44 size:100x100 x 60(h)mm Cut out: 68mm 

Model No	Description		
LADL120-S3007		2x10W Semi Recessed Low Glare Fixed LED downlight with PC reflector and clear diffuser	3000K 1600lm IP44 size:100(dia) x 200(h)mm Aluminum body and heatsink Colours: White,black, brass

LED Architecture Downlight *by* **Cleanwatt**

LNAG-9135-18	  359° Turn	18W LED COB Turnable Downlight 36° Beam with heat guard	1440lm / Size: 155(dia) x 148 (h) mm Cut Out: 145mm (dia)
LNAG-9137-26		26W LED COB Turnable Downlight 36° with heat guard	2080lm / Size: 175(dia) x 164 (h) mm Cut Out: 165mm (dia)
LNAG-9139-40		40W LED COB Turnable Downlight 36° with heat guard	3200lm / Size: 195(dia) x 170 (h) mm Cut Out: 185mm (dia)

LED Mini Downlight


LCL-S3A	 	3W Recessed mounted cabinet/display light with LED Driver 3000K / 5000K	240V AC IP20 in White Size: 52 (Dia) x22 (h) mm Cut Out: 42mm(dia)
LDLM-MC38-WG	 	3W Recessed mounted Mini Downlight with LED Driver 3000K / 5500K Beam Angle: 25°	240V AC IP20 in White Size: 53 (Dia) x63 (h) mm Cut Out: 45mm(dia) 270lm
LDLM-MC38-WB	 	3W Recessed mounted Mini Downlight with LED Driver 3000K / 5500K Beam Angle: 25°	240V AC IP20 in White Size: 53 (Dia) x63 (h) mm Cut Out: 45mm(dia) 270lm
LCL-VST3-FR	 	1.5W 12V Recessed mounted cabinet/display light (excluding LED Driver) 3000K	IP43 in White / Black / Silver Size: 40 (Dia) x 17 (h) mm Cut Out: 35mm(dia)
LCL-2319		4W 12V Disc type surface mounted cabinet/display light (excluding LED Driver)	IP43 in White Size: 95 (Dia) x 12 (h)mm
5W LED Driver	12V DC 5W with DC adaptor		














Surface Mounted Downlight and Pendant Light with 2 Years Warranty











LSDL1-15S	  	15W LED COB Adjustable Surface Down Light in Silver	60° Beam Angle. 1200lm Warm 3000K Size: 168(Dia)x120(w) x 196(h)mm
LSDL1-15C		15W LED COB Adjustable Surface Down Light in Copper Chrome	60° Beam Angle. 1200lm Warm 3000K Size: 168(Dia)x120(w) x 196(h)mm
LSDL1-15B		15W LED COB Adjustable Surface Down Light in Black	60° Beam Angle. 1200lm Warm 3000K Size: 168(Dia)x120(w) x 196(h)mm
LSDL5-G2541	 	5W LED Surface Down Light in White+Gold or Black+Gold Finish 3000K Only	500lm / 45° Beam Angle. Size: 75(Dia)x150(h)mm
LTRK-0106GU	 	LTRK-0106GU 8W LED Surface DownLight Dimmable Trim:Black or White	60° Beam Angle 3000K/5000K 680lm (Optional: 6w 4000K) Size : 60(dia)x155(Tall) mm





Model No	Description		
LSDL5-G5871		5.5W LED Surface Down Light in Black Finish 3000K Only	500lm / 45° Beam Angle. Size: 96x96x125(h)mm
LSDL5-G5872		2x5.5W LED Surface Down Light in Black Finish 3000K Only	2x500lm / 45° Beam Angle. Size: 192x96x125(h)mm
LSDL10-2609		10W LED COB Surface Down Light in White Fitting 3000K Only	900lm / 45° Beam Angle. Size: 80(Dia)x125(h)mm
LSDL20-2610		20W LED COB Surface Down Light in White Fitting 3000K / 5000K	1800lm / 45° Beam Angle. Size: 110(Dia)x160(h)mm
LSDL3-12		12W LED COB Surface Down Light Optional Pendant Mounted	960lm / 100° Beam Angle Size: 110(Dia)x90(h)mm
LSDL13-CL	CL 	13W LED COB Surface Down Light in White/Black Fitting . Dimmable P65 3000K / 5000K	900lm / 45° Beam Angle. Size: 105(Dia)x146(h)mm
LSDL3-PEN-ACC	Pendant 1meter wire for 12W LED Surface Down Light		
LTRK-X120-F&P		20W LED Surface Mounted Directional Light complete with Flex and Plug.	45° Beam Angle. 1600lm Size : 235 (Tall)x 170 (W) x 171(d) mm



Surface Mounted Downlight and Pendant Light with 2 Years Warranty

LPEN-118P		5W LED Pendant Downlight with Pure Aluminium in black or white. CCT:3000K / 5000K	450lm / 45° Beam Angle. Size: 85(Dia) x 300(h) mm (with 0.8mtr adjustable pendant)
LPEN-2318		10W LED COB Pendant in Warm White, Non Dimmable 3000K	900lm / 45° Beam Angle. Size: 80(Dia) x 125 (h) mm x 1mtr Pendant Wire
LPEN-2319		20W LED COB Pendant in Warm White, Non Dimmable 3000K / 5000K	1800lm / 45° Beam Angle. Size: 110(Dia) x 160(h)mm x 1mtr Pendant Wire
LPEN-6430		9W or 11W LED Pendant using E27 Lamp Holder	800lm / 990lm Warm 3000K Size: 250(dia)mmx 1mtr Pendant wire
LPEN-18P220		7W LED Pendant using E27 Lamp Holder	935lm Warm 3000K Size: 235(dia)x250(h)mmx 1.2mtr Pendant Wire
CF-034-LED		6W LED Candle Light Clear Glass Pendant in E27 Lamp Holder	400lm Warm 3000K Size: 240(dia) x350(h)mm with 1mtr pendant wire

Model No	Description		
CF-037-LED		5W LED Candle Light Cler Glass Pendant in E27 Lamp Holder	400lm Warm 3000K Size: 270(dia) x240(h)mm with 1mtr pendant wire
LPEN-CLBON3		3x4W LED Filament Modern Pendant Downlight in Polished Nickel	3x360lm Warm 3000K Size: 355(dia) x768(h)mm with 1mtr pendant wire 
LPEN-CLKHA3		3x4W LED Filament Modern Pendant Downlight in Polished Nickel	3x360lm Warm 3000K Size: 391(dia) x711(h)mm with 0.3mtr pendant wire 
LPEN-CLCAV1		6W LED Filament Modern Pendant Downlight in Polished Nickel (Optional 11W LED Bulb)	540lm Warm 3000K Size: 350(dia) x170(h)mm with 2.7mtr pendant wire 
LPEN-CLCAV3		6W LED Filament Modern Pendant Downlight in Polished Nickel (Optional 11W LED Bulb)	540lm Warm 3000K Size: 183(dia) x380(h)mm with 2.6mtr pendant wire 
LPEN-CLNOR4		6W LED Filament Modern Pendant Downlight in Polished Nickel (Optional 11W LED Bulb)	540lm Warm 3000K Size: 400(dia) x395(h)mm with 1.8mtr pendant wire 
Surface Mounted Downlight and Pendant Light with 2 Years Warranty			
LPEN-CLZARA1 Wooden or Silver		6W LED Filament Modern Pendant Downlight in Polished Nickel (Optional 11W LED Bulb)	540lm Warm 3000K Size: 160(dia) x353(h)mm with 1.0mtr pendant wire 

Model No	Description		
LPEN-CLZARA2 Wooden		6W LED Filament Modern Pendant Downlight in Polished Nickel (Optional 11W LED Bulb)	540lm Warm 3000K Size: 390(dia) x383(h)mm with 1.0mtr pendant wire 
LPEN-CLZARA2 Silver		6W LED Filament Modern Pendant Downlight in Polished Nickel (Optional 11W LED Bulb)	540lm Warm 3000K Size: 390(dia) x383(h)mm with 1.0mtr pendant wire 
LPEN-CLPEN		6W LED Filament Modern Pendant Downlight in Polished Nickel (Optional 11W LED Bulb)	540lm Warm 3000K Size: 45(dia) x95(h)mm with 2.0mtr pendant wire 
LPEN-TOMD-CP1		9W LED Filament Modern Tom Dixon Copper Brass Replica Pendant Downlight in Polished Nickel (Optional 12W LED Bulb)	750lm Warm 3000K Size: 200(dia) x200(h)mm with 1.2mtr pendant wire
LPEN-TOMD-L		9W LED Filament Modern Tom Dixon Leena Replica Pendant Downlight in Polished Nickel (Optional 12W LED Bulb)	750lm Warm 3000K Size: 120(dia) x500(h)mm with 1.2mtr pendant wire
LPEN-TRUNK-36A	Seamless Jointing and Internal Driver Compartment 	36W Pendant Linear Trunk Light with external driver - Black or Silver (optional adjustable rod hanger)	3240lm 4000K / 6000K Size:1500(l)x60(w)x85(h)mm 

Model No	Description		
Carbon Filament Decorative Lamps - 1 Year Warranty by Cleanwatt			
CF-034-40		40W Carbon Filament Cler Glass Pendant in E27 Lamp Holder	600lm Warm 3000K Size: 240(dia) x350(h)mm with 1mtr pendant wire
CF-037-40		40W Carbon Filament Cler Glass Pendant in E27 Lamp Holder	600lm Warm 3000K Size: 270(dia) x240(h)mm with 1mtr pendant wire
CF-038-40		5pcs 40W Carbon Filament Cler Glass Pendant in E27 Lamp Holder (Optional to use 60W lamp)	5x 600lm Warm 3000K Size: 60mm Dia x 5pcs with 1mtr pendant wire
CF-ST045-40		40W Carbon Filament Cler Glass Pendant in E27 Lamp Holder (Optional to use 60W lamp)	600lm Warm 3000K Size: 180mm Dia x 250(d) mm

Carbon Filament Decorative Lamps - 1 Year Warranty by Cleanwatt			
CF-LH-Copper		Pendant Type: E27 Lamp Holder with On/Off Switch Copper Antique Color	With 1.2 Meter Pendant Wire
CF-LH-Silver		Pendant Type: E27 Lamp Holder with On/Off Switch in Silver Color	With 1.2 Meter Pendant Wire
CF-LH-Black		Pendant Type: E27 Lamp Holder with On/Off Switch in Black Color	With 1.2 Meter Pendant Wire

LED Wall Light (Indoor)			
LWL3A068		2x4WLED Up/Down Wall Light in Square White	2x 320lm / Warm 3000K Size: 210(l) x 103(w) x68(h)mm
LWL3A071		6.5WSMD LED Wall Light in Stainless Steel 304 Brush Finished	420lm / Warm 3000k Size: 310(l) x 26(d) x 90(h) mm
LWL3A072		6.5WSMD LED Wall Light in White	420lm / Warm 3000k Size: 300(l) x 26(w) x 50(h) mm
LWL2295		18W Wall Light in Zinc Alloy White (PLC Lamp)	560lm / Warm 3000k Size: 210(w) x 100(d) x 45(h) mm
LWL3147			7W LED Wall Light in Zinc Alloy White / Black 560lm / Warm 3000k Size: 380(w) x 100(d) x 140(h) mm

Model No	Description		
LWL145M		2x7W LED Wall Light in Zinc Alloy White	2x560lm / Warm 3000k Size: 280(w) x 120(d) x 250(h) mm
LWL3A073		3.6W LED Wall Light in White IP44	250lm / Warm 3000k Size: 32(w) x 40(d) x 425(h) mm
LADL-4A149		Indirect Non Glare Wall Light 7W LED COB Adjustable Wall Light 650lm	 Adjustable Downlight Size: 130x85 mm Cut out: 120x72mm
LWL-4A02-BIK or WHT		2x3W LED Wall Light in Zinc Alloy Black or White	Warm 3000k Size: 120x120x100(d) mm 
CF-ST045-LED		6W LED Candle Light Clear Glass Pendant in E27 Lamp Holder	400lm Warm 3000K Size: 180mm Dia x 250(d) mm
LED Mirror Wall Light			
LWL-M0763-1A		8W LED Mirror Light in Silver color 3000K	Wall Mounted in Silver Size: 600(w) x 270(h) x 175(d) mm
LED Step Light (Indoor)			
LW4-C3K or C6K		4W LED Wall Light in White with LED Driver 3000K / 6000K	Wall Mounted in White Size: 85(w) x 85 (l) x 20(h) mm Cut out: 65x65mm
LW4-C3K		4W LED Wall Light in White with LED Driver 3000K	Wall Mounted in Black or Chrome Size: 85(w) x 85 (l) x 20(h) mm Cut out: 65x65mm
LWL-GSE12V		4W LED Wall Light Eye Type in White with LED Driver 3000K	Wall Mounted in Black or White Size: 85(w) x 85 (l) x 20(h) mm Cut out: 65x65mm