





Model No	Description
<b>LED Track Light - 2 Years Warranty</b>	
LTRK-C110	 <p><b>LTRK-C110</b>            8W LED Track Light (1Ø) Non Dim / Dim (+\$2.0)            Trim:Black or White 45° Beam Angle. <b>3000K / 5000K</b> 600lm            Size : 200 (Tall)x 105 (W) x 90(d) mm</p>
LTRK-C110	 <p><b>LTRK-SILSQ-10</b>            10W LED Track Light (1Ø) Dimmable            Trim:Silver 45° Beam Angle <b>3000K</b> 800lm            Size : 200 (Tall)x 105 (W) x 90(d) mm</p>
LTRK-FR1225	 <p><b>LTRK-FR1225</b>            15W LED Track Light (1Ø) Dimmable            Trim:Black or White 60° Beam Angle <b>3000K / 4000K</b> 1280lm            Size : 86(dia)x150(Tall)x118(l) mm</p>
LTRK-J13-C4K	 <p><b>LTRK-J13</b>            13W LED Track Light (1Ø) Dimmable            Trim:Black or White (Optional: Surface Mount and Pendant)            45° Beam Angle <b>4000K</b> 1170lm            Size : 70(dia)x179(Tall) mm</p>
LTRK-0106GU	 <p><b>LTRK-0106GU</b>            8W LED Surface DownLight Dimmable            Trim:Black or White            60° Beam Angle <b>3000K/5000K</b> 680lm (Optional: 6w 4000K)            Size : 60(dia)x155(Tall) mm</p>

Model No	Description	
LTRK-0106		<p align="center"><b>LTRK-0106</b>  12W LED Track Light (1Ø) Dimmable  Trim:Black or White CREE COB  (Optional: Surface Mount and Pendant Light)  45° Beam Angle <b>3000K/4000K/6000K</b> 1170lm  Size : 70(dia)x179(Tall) mm</p>
LTRK-0101		<p align="center"><b>LTRK-0101</b>  12W LED Track Light (1Ø) Dimmable  Trim:Black or White CREE COB  (Optional: Surface Mount and Pendant Light)  45° Beam Angle <b>3000K/4000K/6000K</b> 1170lm  Size : 70(dia)x179(Tall) mm</p>
LTRK-R2253		<p align="center"><b>LTRK-R2253</b>  15W LED Track Light (1Ø) Non Dimmable  Trim:White 45° Beam Angle <b>3000K/ 6000K</b> 1200lm  Size : 210 (Tall)x 80 (W) x 118(d) mm</p>
LTRK-RG25		<p align="center"><b>LTRK-RG25</b>  25W LED Track Light (1Ø) Non Dimmable  Only Trim:Black  36° Beam Angle. 2200lm <b>3000K/4000K</b>  Size :190 (l)x 80(dia) mm</p>
LTRK-F3035-BLK		<p align="center"><b>LTRK-F3035-BLK</b>  30W LED Track Light (1Ø) Non Dimmable  Trim:Black <b>15-60° Adjustable Beam Angle</b>  <b>4000K / 6000K</b> 2700lm  Size : 235 (Tall)x 175 (W) x 95(d) mm</p>
LTRK-F3035-WHT		<p align="center"><b>LTRK-F3035-WHT</b>  30W LED Track Light (1Ø) Non Dimmable  Trim:Black <b>15-60° Adjustable Beam Angle</b>  <b>4000K / 6000K</b> 2700lm  Size : 235 (Tall)x 175 (W) x 95(d) mm</p>
LTRK-SPTR3001		<p align="center"><b>30W LED Track Light (3Ø)</b>  Dimmable Trim:Black <b>Non</b>  36° Beam Angle <b>4000K Only 2700lm</b>  Size Fitting : 130 (Tall)x85(d) mm  Size Track Adapter: 212 (l)x 95(w) x 80(h)mm</p>

Model No	Description	
LTRK-A115		<p><b>30W LED Track Light (1Ø)</b> <span style="float: right;"><b>Non Dimmable</b></span>  <b>Trim:White 36° Beam Angle 3000K only 2700lm</b>            Size : 225 (Tall)x 158 (W) x 105(d) mm</p>
LTRK-L021-BLK  		<p><b>30W LED Track Light (1Ø)</b> <span style="float: right;"><b>Non Remote</b></span>  <b>Dimmable Trim:Black</b>  <b>Control 36° Beam Angle</b>  <b>CCT Changeable from 3000K to 6000K, Grouping and Dimming using Remote Control 2700lm</b>            Size : 235 (Tall)x 152(W) x 94(d) mm</p>
LWQ-098  		<p>12W LED Track Light (1Ø)            Dimmable CREE COB            Trim:Black or White            (Optional: Surface Mount)            36° Beam Angle, 3000K /4000K /6000K            Size:refer to photo</p> 
LWQ-Q077-02 (Only Twin Available)  	<p><b>Only Twin Available</b></p> 	<p>2x12W LED Track Light (1Ø)            Dimmable CREE COB            Trim:Black or White            (Optional: Surface Mount)            36° Beam Angle, 3000K /4000K            Size:refer to photo</p> 
LWQ-071		<p><b>LWQ-071-BLK or WHT</b>  <b>30W LED Track Light (1Ø) Non Dimmable</b>            Trim:Black or White <b>36°</b>  <b>3000K / 4000K 2700lm</b>            Size : 205 (Tall)x 80(d) mm</p>
LTRK1-4W		<p>5 Wire Three Phase Track per meter. Pricing per mtr include joint and live end accessories. White / Black Color. Available Length (include Live End) is 1500mm and 2000mm. Live End size is 75mm.</p>